

AUTHOR INDEX

-
- Allotta, B., 103
 Anagnostopoulos, K., 541

 Barraud, A., 493
 Bassier, P., 107
 Battilotti, M., 209
 Beckmann, E., 267
 Beghi, M., 481
 Bergamasco, M., 115
 Bergveld, P., 1, 3, 279, 509, 531, 547, 623
 Bhardwaj, J. K., 81
 Blasquez, G., 387
 Blom, F. R., 219, 513
 Bomer, J., 531
 Bott, B., 467
 Böttger, U., 355
 Boukabache, A., 387
 Bouwstra, S., 219, 513
 Burd, N. C., 601
 Burr, P. M., 475
 Buser, R. A., 145
 Butta, N., 481

 Cambiaso, A., 451
 Cauhape, J. S., 319
 Cenderelli, S., 451
 Chavez, F., 279
 Chesmehdoost, A., 173
 Cockshott, C. P., 167
 Colilli, R., 209
 Colin, B., 461

 D'Amico, A., 55
 Dämon, A., 259, 267
 Dario, P., 103, 115
 Delapierre, G., 123
 den Besten, C., 547
 de Rooij, N. F., 145, 275, 537, 541
 De Rossi, D., 107
 Derost, G., 493
 Domenici, C., 107
 Dorey, A. P., 601
 Drinali, M., 601
 Duffy, C. J., 345

 Eguchi, K., 319
 Elwenspoek, M., 139, 219, 513

 Faltenmaier, J., 481
 Fiorillo, A. S., 103
 Fluitman, J. H. J., 139, 219, 513
 Francesconi, R., 103
 Francis, C., 285

 Gall, M., 583
 Gardies, F., 461
 Gernet, S., 537
 Gerritsma, G. J., 297
 Giannini, I., 209
 Gimmel, P., 195
 Giongo, M., 209
 Gompf, B., 195
 Göpel, W., 195, 377, 555
 Graeger, V., 521
 Grattarola, M., 451
 Greenwood, J. C., 241
 Greve, J., 531
 Grisel, A., 285
 Grögor, E., 329
 Groothengel, R. A., 509
 Gross, J., 405
 Gunn, B., 81
 Gustafsson, K., 157

 Harkoma, A., 369
 Harrington, S. J., 81
 Heiland, G., 355
 Henrion, L., 493
 Hickman, D., 345
 Hierold, Chr., 587
 Hogenkamp, D., 259, 267
 Hök, B., 157
 Honoré, M., 361
 Hu, B., 275
 Hübner, H. P., 351
 Hück, R., 355

 Jeffery, P. D., 475
 Jones, B. E., 173, 501

 Jones, T. A., 467
 Joon, M. M., 255
 Jornod, A., 415

 Kalita, W., 225
 Kexing Liu, 501
 Klein, M., 195, 203
 Kloeck, B., 541
 Kobs, R., 521
 Kohl, D., 309, 355
 Kölling, A., 623
 Kollmann, J., 267
 Koomen, S., 623
 Kooyman, R. P. H., 531
 Kopystynski, P., 69
 Koreman, C. G. A., 181
 Koudelka, M., 537
 Kreuwel, H. J. M., 297

 Lambeck, P. V., 297
 Lammerink, T. S. J., 219
 Laurensse, I. J., 181
 Lazzeri, L., 107
 Lenkkeri, J., 75
 Leppävuori, S., 75, 369
 Levoska, J., 75
 Lian, W., 609
 Lucat, C., 319
 Lutz, R., 329

 McAleer, J. F., 313
 Maignan, A., 313
 Mandrand, B., 461
 Mari, C. M., 481, 569
 Martelet, C., 461
 Menil, F., 319
 Mondin, G., 285
 Moons, J., 361
 Moseley, P. T., 313
 Mosser, V., 405
 Müller, R., 583, 587
 Muntwyler, M., 541

 Nannini, A., 107
 Neumann, B., 259, 267
 Nobel, J., 255
 Nuscheler, F., 593

- Obermeier, E., 69, 351
 Olthuis, W., 279

 Pacaud, S. J., 167
 Paszczyński, S., 225
 Peeters, E., 423
 Pizzini, S., 481
 Pons, P., 387
 Popma, Th. J. A., 297
 Popović, R. S., 39
 Potencki, J., 225
 Puers, B., 423

 Regtien, P. P. L., 91
 Reinhoudt, D. N., 189, 297
 Roggen, J., 361
 Ruaudel-Teixier, A., 493
 Rudolf, F., 415
 Rutgers, W. R., 181

 Salsedo, F., 115
 Sansen, W., 423, 615
 Satchell, D. W., 241
 Schäfer, H., 521
 Schäfer, W., 27
 Schasfoort, R. B. M., 531
 Schierbaum, K. D., 377
 Schindler, K., 555
 Schmeisser, D., 195, 377, 555

 Schneider, F., 339
 Schrap, P., 219
 Schroer, G., 329
 Seevinck, E., 623
 Skowronska-Ptasinska, M., 189
 Spooncer, R. C., 173
 Sprenkels, A. J., 509
 Steenvoorden, G. K., 255
 Stephens, M. A., 81
 Stuivinga, M., 255
 Sudhölter, E. J. R., 189, 297
 Suski, J., 405

 Tedesco, M., 451
 Tenerz, L., 157
 Terzaghi, G., 569
 Thorpe, S. C., 467
 Timo, G. L., 481
 Torvela, H., 369
 Turner, A. P. F., 433
 Turunen, M., 75

 Unwin, J., 575

 van den Berg, A., 189
 van den Vlekkert, H. H., 275, 541
 van de Pol, F. C. M., 139

 van der Schoot, B. H., 279
 van der Wal, P. D., 189
 van der Wey, A. H., 181
 Van Geloven, P., 361
 van Gent, J., 297
 van Paemel, M., 629
 van Putten, A. F. P., 615
 Verbeek, P. W., 255
 Verloop, A. J., 509
 Verney, E., 285
 Verona, E., 55
 Videau, J. J., 319
 Vohrer, U., 555
 Voorthuyzen, J. A., 547

 Walsh, P. T., 575
 Wiemhöfer, H. D., 195, 377, 555
 Williams, D. E., 313
 Wolffenbuttel, R. F., 249
 Wonnink, D. G. J., 139
 Wouters, S., 609

 Xing, Y. Z., 339

 Yntema, H., 219

 Zwicker, U. T., 235

SUBJECT INDEX

- Accelerometer
 - interface circuit for capacitive, 629
 - thermally-excited Si, 241
- Acid-base titrations
 - dipstick sensor for coulometric, 279
- A/D converter array
 - sensor-, construction technique for large, 609
- Anemometer design
 - advanced Si, with constant voltage-to-current ratio biasing, 615
- Artificial hands
 - shape memory alloy micromotors for direct-drive actuation of dexterous, 115
- Automatic microscopy
 - and metrology, laser-autofocus for, 267
- Binary oxides
 - detection of phosphine with semi-conductive Fe_2O_3 thick films; comparison with other, 319
- Biological materials
 - capacitive measurements in EIS systems modified by, 451
- Biosensor research and development
 - current trends in, 433
- Bubble-level tilt sensor
 - with large measurement range, 339
- CAD tools
 - in mechanical sensor design, 423
- Camera
 - range-finding, based on position-sensitive device array, 255
- Capacitance measurements
 - feasibility of immunosensor based on, 461
- Capacitive absolute pressure sensor
 - high-precision, 415
- Capacitive accelerometer
 - interface circuit for, 629
- Capacitive measurements
 - in EIS systems modified by biological materials, 451
- Carbon dioxide
 - gas-sensing electrode based on pH-ISFET with back-side contacts, 275
- Carbon monoxide
 - detection of concentration of, using SnO_2 gas sensors in combustion gases of different fuels, 369
- Catalytic reactions
 - and electronic processes relevant in gas sensing, 309
- Chemical sensors
 - prototype, for selective detection of O_2 and NO_2 in gases, 377
- Chlorine
 - solid-state galvanic cell for monitoring Cl partial pressure, 569
- Chromoionophores
 - in optical ion sensors, 297
- Combustion gases
 - detection of concentration of CO using SnO_2 gas sensors in, of different fuels, 369
- Construction technique
 - for large sensor-A/D converter array, 609
- Co-sensitivity
 - reactively sputtered Sn oxide thin-film gas sensors; correlation between fabrication parameters and, 351
- Coulometric acid-base titrations
 - dipstick sensor for, 279
- Dielectric thin film
 - excitation and detection of vibrations of micromechanical structures using, 219
- Dipstick sensor
 - for coulometric acid-base titrations, 279
- Direct-drive actuation
 - of dexterous artificial hands, shape memory alloy micromotors for, 115
- Dynamic behaviour
 - of Si microcalorimeter, investigation of, 593

- Electret microphone
 - development of, in Si, 509
- Electrochemical sensors
 - packaging technologies for integrated, 285
- Electrode
 - planar glucose enzyme, 537
- Electrolyte-insulator-semiconductor systems
 - capacitive measurements in EIS
 - systems modified by biological materials, 451
- Electromechanochemical skin analog
 - tactile sensing by, 107
- Electronic processes
 - catalytic reactions and, relevant in gas sensing, 309
- Encoder/decoder
 - mark-to-period, for low-level sensor communications, 601
- Excitation
 - and detection of vibrations of micro-mechanical structures using di-electric thin film, 219
- Fabrication parameters
 - reactively sputtered Sn oxide thin-film gas sensors; correlation between, and co-sensitivity, 351
- Fibre-optic sensors
 - micro-mechanical approach, 157
- Field-effect transistor
 - ion-selective membrane chemically bound to, 209
- Force sensor
 - free-end beam-type, with thick-film resistor as strain-sensitive element; towards optimum construction, 225
 - resonating Si beam, 513
- Galvanic cell
 - solid-state, for monitoring Cl partial pressure, 569
- Gas mixtures
 - investigation of, with different MOS gas sensors with regard to pattern recognition, 583
 - quantitative analysis of, with non-selective gas sensors, 587
- Gas sensing
 - catalytic reactions and electronic processes relevant in, 309
- Gas-sensing electrode
 - CO₂, based on pH-ISFET with back-side contacts, 275
- Gas-sensing properties
 - of polymeric Si and Ge phthalocyanine films, 475
- Gas sensors
 - detection of concentration of CO using SnO₂, in combustion gases of different fuels, 369
 - fast response metal phthalocyanine-based, 467
 - investigation of gas mixtures with different MOS, with regard to pattern recognition, 583
 - quantitative analysis of gas mixtures with non-selective, 587
 - reactively sputtered Sn oxide thin-film; correlation between fabrication parameters and co-sensitivity, 351
 - Sn(IV) oxide; thick-film *versus* metallo-organic based sensors, 361
- Gastroenterological applications
 - combined pH-pressure catheter for, 541
- Germanium
 - gas-sensing properties of polymeric Si and Ge phthalocyanine films, 475
- Glucose enzyme electrode
 - planar, 537
- Hall-effect devices, 39
- High-integrity bus structure
 - for optical fibre sensors, 173
- Hydrogen
 - spillover effects in detection of H₂ and CH₄ by sputtered SnO₂ films with Pd and PdO deposits, 355
- Immunological reaction
 - modulation of ISFET response by, 531
- Immunosensor
 - feasibility of, based upon capacitance measurements, 461
- Industrial application
 - temperature sensors; new technologies on their way to, 27
- Interface circuit
 - for capacitive accelerometer, 629
- Intraocular pressure
 - new device for measurement of, 547
- Ion-selective membrane
 - chemically bound to field-effect transistor, 209
- Ion-sensing
 - using chemically modified ISFETs, 189

- Ion sensors
 - chromoionophores in optical, 297
- Iron
 - detection of phosphine with semi-conductive Fe_2O_3 thick films; comparison with other binary oxides, 319
- ISFET(s)
 - ion-sensing using chemically-modified, 189
 - pH-, with back-side contacts, CO_2 gas-sensing electrode based on, 275
 - time effects of, 203
- ISFET response
 - modulation of, by immunological reaction, 531
- Langmuir-Blodgett film
 - detection of phosphine with, of *N*-octadecyl pyridinium, TCNQ, 493
- Laser-autofocus
 - for automatic microscopy and metrology, 267
- Laser-induced deposition
 - and etching of materials; new technology for sensor fabrication, 75
- Metallo-organic based sensors
 - Sn(IV) oxide gas sensors; thick-film *versus*, 361
- Metal phthalocyanine-based gas sensors
 - fast response, 467
- Methane
 - spillover effects in detection of H_2 and CH_4 by sputtered SnO_2 films with Pd and PdO deposits, 355
- Microcalorimeter
 - investigation of dynamic behaviour of Si, 593
- Micro-machining
 - survey of most commonly used processes, 123
- Micro-mechanical approach
 - fibre-optic sensors, 157
- Micromechanical structures
 - excitation and detection of vibrations of, using dielectric thin film, 219
- Microminiature pump
 - thermo-pneumatic actuation principle for, and other micromechanical devices, 139
- Micromotors
 - shape memory alloy, for direct-drive actuation of dexterous artificial hands, 115
- Microphone
 - development of electret, in Si, 509
- Microscopy and metrology
 - laser-autofocus for automatic, 267
- MOS gas sensors
 - investigation of gas mixtures with different, with regard to pattern recognition, 583
- Multiplex system
 - two-lead, for sensor array applications, 623
- Nitrogen dioxide
 - prototype chemical sensors for selective detection of O_2 and NO_2 in gases, 377
- Nitrogen oxides
 - influence of structure and morphology on sensitivity to, of phthalocyanine thin-film resistivity sensors, 481
- N*-Octadecyl pyridinium
 - detection of phosphine with Langmuir-Blodgett film of, TCNQ, 493
- Optical current
 - and voltage sensors, applications for, 181
- Optical fibre links
 - pressure sensors and actuators incorporating, 501
- Optical fibre reflective sensor
 - compensation of, 167
- Optical fibre sensors
 - high-integrity bus structure for, 173
- Optical ion sensors
 - chromoionophores in, 297
- Optical sensors
 - for position measurements, 329
- Optoelectronic sensor
 - for measuring shape of two-dimensional objects, 259
- Organic vapours
 - monitoring, using pyrolysis-amperometry, 575
- Oxygen
 - prototype chemical sensors for selective detection of O_2 and NO_2 in gases, 377
- Oxygen-ion conducting ceramic
 - use of, to probe reactions taking place on surface of semiconducting oxide, 313
- Oxygen sensors
 - spectroscopic and electrical studies of yttria-stabilized zirconia for, 555

- Packaging technologies
 - for integrated electrochemical sensors, 285
- Palladium
 - spillover effects in detection of H_2 and CH_4 by sputtered SnO_2 films with Pd and PdO deposits, 355
- Pattern recognition
 - investigation of gas mixtures with different MOS gas sensors with regard to, 583
- pH-ISFET
 - CO_2 gas-sensing electrode based on, with back-side contacts, 275
- pH-pressure catheter
 - combined, for gastroenterological applications, 541
- pH-sensitive devices
 - Ta_2O_5 -gates of; comparative spectroscopic and electrical studies, 195
- Phosphine
 - detection of
 - with Langmuir-Blodgett film of *N*-octadecyl pyridinium, TCNQ, 493
 - with semiconductive Fe_2O_3 thick films; comparison with other binary oxides, 319
- Photodiodes
 - flexible spectral-response shaping of Si photodiodes, 249
- Phthalocyanine
 - fast response metal phthalocyanine-based gas sensors, 467
 - gas-sensing properties of polymeric Si and Ge, films, 475
 - thin-film resistivity sensors, influence of structure and morphology on sensitivity to N oxides of, 481
- Polysilicon layers
 - in solid-state sensors, wide-ranging applications of, 69
- Position measurements
 - optical sensors for, 329
- Position-sensitive device array
 - range-finding camera based on, 255
- Pressure
 - Cl partial, solid-state galvanic cell for monitoring, 569
 - combined pH-pressure catheter for gastroenterological applications, 541
- Pressure sensor(s)
 - and actuators incorporating optical fibre links, 501
 - high-precision capacitive absolute, 415
 - polysilicon SOI, 405
 - Si, capabilities and limits of, 387
 - temperature-independent, using polycrystalline Si strain gauges, 521
- Pyrolysis-amperometry
 - monitoring organic vapours using, 575
- Range-finding camera
 - based on position-sensitive device array, 255
- Resistivity sensors
 - phthalocyanine thin-film, influence of structure and morphology on sensitivity to N oxides of, 481
- Resonant Si structures, 145
- Robot control
 - sensor systems for, 91
- Robotic fingertip
 - ultrasonic range sensor array for, 103
- SAWR
 - strain sensor with commercial, 235
- SAW sensors, 55
- Semiconducting oxide
 - use of O-ion conducting ceramic to probe reactions taking place on surface of, 313
- Sensor-A/D converter array
 - construction technique for large, 609
- Sensor array
 - ultrasonic range, for robotic fingertip, 103
- Sensor array applications
 - two-lead multiplex system for, 623
- Sensor communications
 - mark-to-period encoder/decoder for low-level, 601
- Sensor design
 - CAD tools in mechanical, 423
- Sensor fabrication
 - laser-induced deposition and etching of materials; new technology for, 75
- Sensor manufacture
 - application of VLSI production techniques to, 81
- Sensor systems
 - for robot control, 91
- Shape
 - of two-dimensional objects, optoelectronic sensor for measuring, 259
- Shape memory alloy micromotors
 - for direct-drive actuation of dexterous artificial hands, 115

- Signal enhancement
 - comparison between temporal coherence and spectral filtering techniques for, 345
- Silicon
 - advanced Si anemometer design with constant voltage-to-current ratio biasing, 615
 - development of electret microphone in, 509
 - flexible spectral-response shaping of Si photodiodes, 249
 - gas-sensing properties of polymeric Si and Ge phthalocyanine films, 475
 - polysilicon SOI pressure sensor, 405
 - pressure sensors, capabilities and limits of, 387
 - resonant Si structures, 145
 - thermally-excited Si accelerometer, 241
- Silicon beam
 - resonating, force sensor, 513
- Silicon microcalorimeter
 - investigation of dynamic behaviour of, 593
- Silicon strain gauges
 - temperature-independent pressure sensor using polycrystalline, 521
- Skin analog
 - tactile sensing by electromechanochemical, 107
- Solid-state sensors
 - wide-ranging applications of polysilicon layers in, 69
- Spectral filtering techniques
 - comparison between temporal coherence and, for signal enhancement, 345
- Spectral-response shaping
 - of Si photodiodes, flexible, 249
- Spectroscopic and electrical studies
 - Ta₂O₅-gates of pH-sensitive devices; comparative, 195
 - of yttria-stabilized zirconia for O sensors, 555
- Spillover effects
 - in detection of H₂ and CH₄ by sputtered SnO₂ films with Pd and PdO deposits, 355
- Strain-sensitive element
 - free-end beam-type force sensor with thick-film resistor as; towards an optimum construction, 225
- Strain sensor
 - with commercial SAWR, 235
- Structure and morphology
 - influence of, on sensitivity to N oxides of phthalocyanine thin-film resistivity sensors, 481
- Tactile sensing
 - by electromechanochemical skin analog, 107
- Tantalum
 - Ta₂O₅-gates of pH-sensitive devices; comparative spectroscopic and electrical studies, 195
- TCNQ
 - detection of phosphine with Langmuir-Blodgett film of *N*-octadecyl pyridinium, TCNQ, 493
- Temperature-independent pressure sensors
 - using polycrystalline Si strain gauges, 521
- Temperature sensors
 - new technologies on their way to industrial application, 27
- Temporal coherence
 - comparison between, and spectral filtering techniques for signal enhancement, 345
- Thermally-excited Si accelerometer, 241
- Thermo-pneumatic actuation
 - principle for microminiature pump and other micromechanical devices, 139
- Tilt sensor
 - bubble-level, with large measurement range, 339
- Tin oxide
 - films with Pd and PdO deposits, spillover effects in detection of H₂ and CH₄ by sputtered, 355
 - gas sensors, detection of concentration of CO using, in combustion gases of different fuels, 369
 - thin-film gas sensors, reactively sputtered; correlation between fabrication parameters and co-sensitivity, 351
- Tin(IV) oxide
 - gas sensors; thick-film *versus* metallo-organic based sensors, 361
- Time effects
 - of ISFETs, 203
- Tonometric sensor
 - new device for measurement of intra-ocular pressure, 547
- Ultrasonic range
 - sensor array for robotic fingertip, 103

Vibrations

of micromechanical structures using dielectric thin film, excitation and detection of, 219

VLSI production techniques

application of, to sensor manufacture, 81

Voltage-to-current ratio biasing

advanced Si anemometer design with constant, 615

Voltage sensors

applications for optical current and, 181

Yttria-stabilized zirconia

for O sensors, spectroscopic and electrical studies of, 555



